

7' x 12' MOBILE REFRIGERATED TRAILERS



New England's Leader In Cold Storage

PERFECT FOR

- Restaurants
- Events
- Emergency Breakdowns
- Scheduled Maintenance
- Healthcare Facilities
- Schools
- Seasonal Overflow / Holidays
- And More...

QUICK SPECS

SIZE

7ft. x 12ft.

TEMPERATURE RANGE

0°F to 50°F

POWER REQUIREMENTS

Voltage: 110V

Amperage Draw: 15

20AMP Dedicated Circuit


GENERATOR COMPATABILITY

Yes, 5000W

Important for Events, Catering & Power Outages

SAFETY & CONVENIENCE FEATURES

- Rear Cargo Door Step
- Side Door & Step
- Side Door Motion Sensor Light
- Interior Light
- Emergency Door Release
- Lockable Doors
- Generator Plate
- Stabilizer Jacks
- Quiet Running Plug & Play
- Textured Non-Slip Flooring
- Lockable Control Panel
- Fully Programmable Temperature Adjustment
- Trailer Ball Size: 2 5/16"



**Powered By A
Standard Outlet**

*Anyone with a Walk-In Freezer/Cooler
or needing temporary cold storage
will find these trailers game changing!*

SPECIFICATIONS

INTERIOR DIMENSIONS	Height: 6' 1" Width: 6' 1" Length: 11' 2"	CUBIC FEET	414
EXTERIOR DIMENSIONS	Height: 9' Width: 8' 6" Length: 17' 4"	REFRIGERATION UNIT	Govi Arktik 2000US
SIDE DOOR OPENING	Height: 5' 9" Width: 2' 7 ½"	INSULATION	Wall / Ceiling / Floor Thickness = 4"
BACK DOOR OPENING	Height: 5' 9" Width: 4' 5 ½"	INSULATION	R Value = 33

7' x 12' MOBILE REFRIGERATED TRAILERS



7' x 16' MOBILE REFRIGERATED TRAILERS



New England's Leader In Cold Storage

PERFECT FOR

- Restaurants
- Events
- Emergency Breakdowns
- Scheduled Maintenance
- Healthcare Facilities
- Schools
- Seasonal Overflow / Holidays
- And More...

QUICK SPECS

SIZE

7ft. x 16ft.

TEMPERATURE RANGE

0°F to 50°F

POWER REQUIREMENTS

Voltage: 110V

Amperage Draw: 15

20AMP Dedicated Circuit


GENERATOR COMPATABILITY

Yes, 5000W

Important for Events, Catering & Power Outages

SAFETY & CONVENIENCE FEATURES

- Rear Cargo Door Step
- Side Door & Step
- Side Door Motion Sensor Light
- Interior Light
- Emergency Door Release
- Lockable Doors
- Generator Plate
- Stabilizer Jacks
- Quiet Running Plug & Play
- Textured Non-Slip Flooring
- Lockable Control Panel
- Fully Programmable Temperature Adjustment
- Trailer Ball Size: 2 5/16"



**Powered By A
Standard Outlet**

*Anyone with a Walk-In Freezer/Cooler
or needing temporary cold storage
will find these trailers game changing!*

SPECIFICATIONS

INTERIOR DIMENSIONS	Height: 6' 1" Width: 6' 1" Length: 15' 2"	CUBIC FEET	561
EXTERIOR DIMENSIONS	Height: 9' Width: 8' 6" Length: 21' 4"	REFRIGERATION UNIT	Govi Arktik 2000US
SIDE DOOR OPENING	Height: 5' 9" Width: 2' 7 ½"	INSULATION	Wall / Ceiling / Floor Thickness = 4"
BACK DOOR OPENING	Height: 5' 9" Width: 4' 5 ½"	INSULATION	R Value = 33

7' x 16' MOBILE REFRIGERATED TRAILERS

